



TSS Associates, Inc.


Honeywell

For further assistance, please contact
Honeywell directly for Tech Support



1-800-633-3991

© Copyright 2023 TSS Associates, Inc. All Rights Reserved. No part of this document may be modified or reproduced without consent from TSS Associates, Inc. This document is for informational purposes only. For additional assistance, please contact Tech Support.

TH6320WF2003



M15
M18
M20



----- = OPTIONAL WIRING

- NOTES:
- * = (1) **MUST** remove Jumper between **R** & **O-b**
 - (2) Remove Jumper between **Y1** & **Y2** if two-stage cooling is desired from thermostat
 - (3) Remove Jumper from **R** & **Aqua** if an external Aquastat is installed and is desired to supplement control of **HotW** temperature

TSS Associates, Inc.

DESCRIPTION
HONEYWELL T6 – BOSCH IDS – UNICO AIR HANDLER

DATE: 1/5/2024 PAGE: 2 of 3

PARAMETERS:

- 130 - Outdoor Temp. - Set to **Wired** for an Outdoor Air Sensor wired to terminals S-S, Set to **Internet** for Wi-Fi Internet data source
- 200 - System Type - Set to **Heat Pump**
- 205 - Equipment Type - Set to **Air To Air**
- 218 - Reversing Valve - Set to **O/B on Heat**
- 220 - Cool Stages - Set to **1**, unless wiring 2-stage: then set to **2**
- 221 - Aux/E Stages - Set to **1**
- 253 - Aux/E Control - Set to **Both**
- 255 - Aux Heat Type - Set to **Electric**
- 300 - Auto Changeover - Set to **Off**
- 340 - Aux Heat Droop - Set to **3°F**
- 350 - Up Stage Timer - Set to **30 minutes** if using 2-stage cooling, set to **60 minutes** if using single-stage cooling
- 355 - Balance Point - Set to **Whatever outdoor temperature is desired based upon homeowner comfort and energy costs**
(Compressor Lockout)
- 356 - Aux Heat Lockout - Set to **Whatever outdoor temperature is desired based upon energy costs**
- 365 - Cool 1 CPH - Set to **1 CPH** (*Cycles Per Hour*)
- 366 - Cool 2 CPH - Set to **1 CPH** (if using 2-stage)
- 375 - Aux Heat CPH - Set to **1 CPH**
- 387 - Compressor Protection - Set to **Off**
- 425 - Adaptive Recovery - Set to **On**

All other setpoints should be left to Factory Settings unless any optional equipment has been added to system or based upon customer preference

NOTES:

TSS Associates, Inc.

DESCRIPTION
HONEYWELL T6 – BOSCH **IDS** – UNICO AIR HANDLER

DATE: 1/11/2024 PAGE: 3 of 3